

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	822	707/8.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/03 17:32
L2	0	("L1andNASDor((networknear2attac hed)withdisk)").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/03 17:19
L3	1	L1 and (NASD)	US-PGPUB; USPAT	OR	OFF	2005/01/03 17:23
L4	7	L1 and ((NASD) OR (network near1 attached near1 disk\$1))	US-PGPUB; USPAT	OR	OFF	2005/01/03 17:30
L5	7	L4 and (access or permission)	US-PGPUB; USPAT	OR	OFF	2005/01/03 17:26
L6	2	L4 and ((examin\$3 or restrict\$3) with (access or permission))	US-PGPUB; USPAT	OR	OFF	2005/01/03 17:31
L7	24104	"707"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/03 17:30
L8	33	L7 and ((NASD) OR (network near1 attached near1 disk\$1))	US-PGPUB; USPAT	OR	OFF	2005/01/03 17:32
L9	3	L8 and ((examin\$3 or restrict\$3) with (access or permission))	US-PGPUB; USPAT	OR	OFF	2005/01/03 17:33
L10	33121	"709"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/03 17:35
L11	26	L10 and ((NASD) OR (network near1 attached near1 disk\$1))	US-PGPUB; USPAT	OR	OFF	2005/01/03 17:35
L12	3	L11 and ((examin\$3 or restrict\$3) with (access or permission))	US-PGPUB; USPAT	OR	OFF	2005/01/03 17:35
L13	23079	"711"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/03 17:35
L14	10	L13 and ((NASD) OR (network near1 attached near1 disk\$1))	US-PGPUB; USPAT	OR	OFF	2005/01/03 17:35
L15	1344	L13 and ((examin\$3 or restrict\$3) with (access or permission))	US-PGPUB; USPAT	OR	OFF	2005/01/03 17:36
L16	0	L14 and ((examin\$3 or restrict\$3) with (access or permission))	US-PGPUB; USPAT	OR	OFF	2005/01/03 17:36
L17	2	L14 and ((check\$3 or examin\$3 or restrict\$3) with (access or permission))	US-PGPUB; USPAT	OR	OFF	2005/01/03 17:36
S1	0	("NASDor((networknear2attached)w ithdisk)").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/03 17:21
S2	0	("NASD").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2002/07/02 16:57
S3	0	(function\$1 or program\$1 or procedure\$1) with (from with server\$1)	US-PGPUB; USPAT	OR	OFF	2002/07/02 17:40

S4	19545	(function\$1 or program\$1 or procedure\$1) with server\$1	US-PGPUB; USPAT	OR	OFF	2002/07/03 10:37
S5	0	receiv\$3 with ((function\$1 or program\$1 or procedure\$1) with (from with server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/02 17:40
S6	1566	(creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:04
S7	67795	disk with stor\$3	US-PGPUB; USPAT	OR	OFF	2002/07/03 10:40
S8	89442	execut\$3 near4 (function\$1 or program\$1 or procedure\$1)	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:27
S9	1	(offload\$3 with server\$1) with disk\$1	US-PGPUB; USPAT	OR	OFF	2002/07/02 18:17
S10	0	(direct near2 (data near2 transfer)) with between with (client\$1 near4 disk\$1)	US-PGPUB; USPAT	OR	OFF	2002/07/02 18:27
S11	2	(data near2 transfer) with (between with (client\$1 near4 disk\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/02 18:31
S12	0	(NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/02 18:36
S13	0	((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/02 18:36

S14	0	(NASD or ((network near2 attached) with disk)) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/02 18:36
S15	0	(NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/02 18:36
S16	0	(NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and (disk with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/02 18:37
S17	0	(NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/02 18:37

S18	0	(NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/02 18:37
S19	1	(NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/02 18:42
S20	0	((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/02 18:43
S21	0	(NASD or ((network near2 attached) with disk)) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/02 18:44
S22	0	(NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and (disk with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/02 18:44

S23	0	(NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/02 18:44
S24	0	(NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/02 18:44
S25	3	(NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3)	US-PGPUB; USPAT	OR	OFF	2002/07/02 18:49
S26	2	((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/02 18:50
S27	129	NASD or ((network near2 attached) with disk)	US-PGPUB; USPAT	OR	OFF	2002/07/03 12:59
S28	19545	(function\$1 or program\$1 or procedure\$1) with server\$1	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:04
S29	1566	(creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1	US-PGPUB; USPAT	OR	OFF	2002/07/03 10:39
S30	65380	(restrict\$3 or control\$3 or manag\$3 or management) near4 access	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:10
S31	67795	disk with stor\$3	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:26
S32	1107220	execut\$3 near4 (function\$1 or program\$1 or procedure\$1)m	US-PGPUB; USPAT	OR	OFF	2002/07/03 10:43

S33	89442	execut\$3 near4 (function\$1 or program\$1 or procedure\$1)	US-PGPUB; USPAT	OR	OFF	2002/07/03 12:22
S34	23	(data near2 transfer) with (without near4 server\$1)	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:30
S35	0	(NASD or ((network near2 attached) with disk)) and (disk with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/03 10:48
S36	0	(NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/03 10:48
S37	0	(NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/03 10:48
S38	3	(NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access)	US-PGPUB; USPAT	OR	OFF	2002/07/03 10:49
S39	129	NASD or ((network near2 attached) with disk)	US-PGPUB; USPAT	OR	OFF	2002/07/03 12:15
S40	19545	(function\$1 or program\$1 or procedure\$1) with server\$1	US-PGPUB; USPAT	OR	OFF	2002/07/03 12:16
S41	1566	(creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1	US-PGPUB; USPAT	OR	OFF	2002/07/03 12:17
S42	65380	(restrict\$3 or control\$3 or manag\$3 or management) near4 access	US-PGPUB; USPAT	OR	OFF	2002/07/03 12:20
S43	67795	disk with stor\$3	US-PGPUB; USPAT	OR	OFF	2002/07/03 12:21
S44	89442	execut\$3 near4 (function\$1 or program\$1 or procedure\$1)	US-PGPUB; USPAT	OR	OFF	2002/07/03 12:22

S45	23	(data near2 transfer) with (without near4 server\$1)	US-PGPUB; USPAT	OR	OFF	2002/07/03 12:23
S46	331	((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3)	US-PGPUB; USPAT	OR	OFF	2002/07/03 12:26
S47	253	(execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3)	US-PGPUB; USPAT	OR	OFF	2002/07/03 12:35
S48	2	((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/03 12:37
S49	11	(disk with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/03 12:51
S50	0	(NASD or ((network near2 attached) with disk)) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/03 12:52
S51	0	(NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/03 12:52
S52	6	(NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1)	US-PGPUB; USPAT	OR	OFF	2002/07/03 12:52
S53	129	NASD or ((network near2 attached) with disk)	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:00

S54	19545	(function\$1 or program\$1 or procedure\$1) with server\$1	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:04
S55	1566	((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:05
S56	65380	(restrict\$3 or control\$3 or manag\$3 or management) near4 access	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:11
S57	67795	disk with stor\$3	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:27
S58	89442	execut\$3 near4 (function\$1 or program\$1 or procedure\$1)	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:28
S59	592	((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access)	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:31
S60	331	((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3)	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:32
S61	6834	((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:33
S62	14	(execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:45
S63	0	(NASD or ((network near2 attached) with disk)) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:46
S64	55	(NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1)	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:48
S65	1566	((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1)	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:49
S66	592	((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access)	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:49

S67	13841	((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3)	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:50
S68	23434	(disk with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:50
S69	23	(data near2 transfer) with (without near4 server\$1)	US-PGPUB; USPAT	OR	OFF	2002/07/03 13:51
S70	12	(US-5907849-\$ or US-5941969-\$ or US-5787437-\$ or US-6058394-\$ or US-5862403-\$ or US-5764593-\$ or US-6385654-\$ or US-6169988-\$ or US-6144992-\$ or US-5687373-\$ or US-6185474-\$).did. or (US-20020035451-\$).did.	US-PGPUB; USPAT	OR	OFF	2002/07/03 15:24
S71	4	((US-5907849-\$ or US-5941969-\$ or US-5787437-\$ or US-6058394-\$ or US-5862403-\$ or US-5764593-\$ or US-6385654-\$ or US-6169988-\$ or US-6144992-\$ or US-5687373-\$ or US-6185474-\$).did. or (US-20020035451-\$).did.) and (select\$3 or extract\$3 or retriev\$3) with (database\$1 or (data adj base\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/03 14:23
S72	8	((US-5907849-\$ or US-5941969-\$ or US-5787437-\$ or US-6058394-\$ or US-5862403-\$ or US-5764593-\$ or US-6385654-\$ or US-6169988-\$ or US-6144992-\$ or US-5687373-\$ or US-6185474-\$).did. or (US-20020035451-\$).did.) and ((list\$3 or information or data) with access\$3)	US-PGPUB; USPAT	OR	OFF	2002/07/03 14:29
S73	0	((US-5907849-\$ or US-5941969-\$ or US-5787437-\$ or US-6058394-\$ or US-5862403-\$ or US-5764593-\$ or US-6385654-\$ or US-6169988-\$ or US-6144992-\$ or US-5687373-\$ or US-6185474-\$).did. or (US-20020035451-\$).did.) and (access\$3 near4 violat\$3) with ((terminat\$3 or end\$3 or stop\$3) near3 abnormal\$2)	US-PGPUB; USPAT	OR	OFF	2002/07/03 14:34
S74	0	(access\$3 near4 violat\$3) with (((terminat\$3 or end\$3 or stop\$3) near3 abnormal\$2) with (function\$1 or program\$1 or procedure\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/03 14:37
S75	0	(access\$3 near4 violat\$3) with ((terminat\$3 or end\$3 or stop\$3) near3 abnormal\$2)	US-PGPUB; USPAT	OR	OFF	2002/07/03 14:38

S76	27	(access\$3 near4 violat\$3) with (terminat\$3 or end\$3 or stop\$3)	US-PGPUB; USPAT	OR	OFF	2002/07/03 14:59
S77	3417	"roll back" or rollback	US-PGPUB; USPAT	OR	OFF	2002/07/03 15:00
S78	7221	"roll back" or rollback or (roll\$3 adj1 back)	US-PGPUB; USPAT	OR	OFF	2002/07/03 15:26
S79	8	("roll back" or rollback or (roll\$3 adj1 back)) with (user\$1 near4(command\$1 or decision or decid\$3))	US-PGPUB; USPAT	OR	OFF	2002/07/03 15:04
S80	12	(US-5907849-\$ or US-5941969-\$ or US-5787437-\$ or US-6058394-\$ or US-5862403-\$ or US-5764593-\$ or US-6385654-\$ or US-6169988-\$ or US-6144992-\$ or US-5687373-\$ or US-6185474-\$).did. or (US-20020035451-\$).did.	US-PGPUB; USPAT	OR	OFF	2002/07/03 15:24
S81	0	((US-5907849-\$ or US-5941969-\$ or US-5787437-\$ or US-6058394-\$ or US-5862403-\$ or US-5764593-\$ or US-6385654-\$ or US-6169988-\$ or US-6144992-\$ or US-5687373-\$ or US-6185474-\$).did. or (US-20020035451-\$).did.) and ((access\$3 near4 violat\$3) with (terminat\$3 or end\$3 or stop\$3))	US-PGPUB; USPAT	OR	OFF	2002/07/03 15:25
S82	0	((US-5907849-\$ or US-5941969-\$ or US-5787437-\$ or US-6058394-\$ or US-5862403-\$ or US-5764593-\$ or US-6385654-\$ or US-6169988-\$ or US-6144992-\$ or US-5687373-\$ or US-6185474-\$).did. or (US-20020035451-\$).did.) and ("roll back" or rollback or (roll\$3 adj1 back))	US-PGPUB; USPAT	OR	OFF	2002/07/03 15:29
S83	3	((("roll back" or rollback or (roll\$3 adj1 back)) with (user\$1 near4(command\$1 or decision or decid\$3))) and (stor\$3 with (alter\$3 or chang\$3 or edit\$4 or maintain\$3 or modif\$6 or updat\$3 or maintenance\$1) with memory)	US-PGPUB; USPAT	OR	OFF	2002/07/03 15:40
S84	3	((("roll back" or rollback or (roll\$3 adj1 back)) with (user\$1 near4(command\$1 or decision or decid\$3))) and ((stor\$3 with (alter\$3 or chang\$3 or edit\$4 or maintain\$3 or modif\$6 or updat\$3 or maintenance\$1) with memory))	US-PGPUB; USPAT	OR	OFF	2002/07/03 15:48

S85	3	((("roll back" or rollback or (roll\$3 adj1 back)) with (user\$1 near4(command\$1 or decision or decid\$3))) and ((stor\$3 with (alter\$3 or chang\$3 or edit\$4 or maintain\$3 or modif\$6 or updat\$3 or maintenance\$1)) with memory)	US-PGPUB; USPAT	OR	OFF	2002/07/03 15:57
S86	9	((US-5907849-\$ or US-5941969-\$ or US-5787437-\$ or US-6058394-\$ or US-5862403-\$ or US-5764593-\$ or US-6385654-\$ or US-6169988-\$ or US-6144992-\$ or US-5687373-\$ or US-6185474-\$).did. or (US-20020035451-\$).did.) and (access\$3 with (id or identifier or identification) or name\$1)	US-PGPUB; USPAT	OR	OFF	2002/07/03 16:02
S87	9	((US-5907849-\$ or US-5941969-\$ or US-5787437-\$ or US-6058394-\$ or US-5862403-\$ or US-5764593-\$ or US-6385654-\$ or US-6169988-\$ or US-6144992-\$ or US-5687373-\$ or US-6185474-\$).did. or (US-20020035451-\$).did.) and ((access\$3 with (id or identifier or identification)) or name\$1)	US-PGPUB; USPAT	OR	OFF	2002/07/03 16:03
S88	4	((US-5907849-\$ or US-5941969-\$ or US-5787437-\$ or US-6058394-\$ or US-5862403-\$ or US-5764593-\$ or US-6385654-\$ or US-6169988-\$ or US-6144992-\$ or US-5687373-\$ or US-6185474-\$).did. or (US-20020035451-\$).did.) and (access\$3 with ((id or identifier or identification) or name\$1))	US-PGPUB; USPAT	OR	OFF	2002/07/03 16:05
S89	1	"6052688".pn.	US-PGPUB; USPAT	OR	OFF	2002/07/05 12:20
S90	1	"5862403".pn.	US-PGPUB; USPAT	OR	OFF	2002/07/05 16:06
S91	15389	client with server	US-PGPUB; USPAT	OR	OFF	2002/07/05 16:07
S92	0	"5862403".pn. and (client with server)	US-PGPUB; USPAT	OR	OFF	2002/07/05 16:08
S93	108495	connect\$3 with network\$1	US-PGPUB; USPAT	OR	OFF	2002/07/05 16:10
S94	1	"5862403".pn. and (connect\$3 with network\$1)	US-PGPUB; USPAT	OR	OFF	2002/07/05 16:12
S95	1	"5862403".pn. and (connect\$3 with server\$1)	US-PGPUB; USPAT	OR	OFF	2002/07/05 16:20
S96	1	"5862403".pn. and (connect\$3 with user\$1)	US-PGPUB; USPAT	OR	OFF	2002/07/05 16:20

S97	352	NASD or (((network adj1 attached) or "network-attached") with (disk\$1 or storage)) or (((network adj1 attached) or "network-attached") with (secure adj1 (disk\$1 or storage))))	US-PGPUB; USPAT	OR	OFF	2002/12/12 18:06
S98	9	((NASD or (((network adj1 attached) or "network-attached") with (disk\$1 or storage)) or (((network adj1 attached) or "network-attached") with (secure adj1 (disk\$1 or storage)))) and (restrict\$3 with access\$3)) and ((offload\$3 or off-load\$3 or (off adj1 load\$3)) with (server\$1 or host\$1))	US-PGPUB; USPAT	OR	OFF	2002/12/12 18:07
S99	2063	NAS or NASD or (((network adj1 attached) or "network-attached") with (disk\$1 or storage)) or (((network adj1 attached) or "network-attached") with (secure adj1 (disk\$1 or storage))))	US-PGPUB; USPAT	OR	OFF	2002/12/12 18:06
S10 0	86	(NAS or NASD or (((network adj1 attached) or "network-attached") with (disk\$1 or storage)) or (((network adj1 attached) or "network-attached") with (secure adj1 (disk\$1 or storage)))) and (restrict\$3 with access\$3)	US-PGPUB; USPAT	OR	OFF	2002/12/12 18:06
S10 1	10	((NAS or NASD or (((network adj1 attached) or "network-attached") with (disk\$1 or storage)) or (((network adj1 attached) or "network-attached") with (secure adj1 (disk\$1 or storage)))) and (restrict\$3 with access\$3)) and ((offload\$3 or off-load\$3 or (off adj1 load\$3)) with (server\$1 or host\$1))	US-PGPUB; USPAT	OR	OFF	2002/12/12 18:07
S10 2	34	(NASD or (((network adj1 attached) or "network-attached") with (disk\$1 or storage)) or (((network adj1 attached) or "network-attached") with (secure adj1 (disk\$1 or storage)))) and (restrict\$3 with access\$3)	US-PGPUB; USPAT	OR	OFF	2002/12/12 20:55
S10 3	34	(NASD or (((network adj1 attached) or "network-attached") with (disk\$1 or storage)) or (((network adj1 attached) or "network-attached") with (secure adj1 (disk\$1 or storage)))) and (restrict\$3 with access\$3)	US-PGPUB; USPAT	OR	OFF	2002/12/12 20:55

S10 4	4	((NASD or (((network adj1 attached) or "network-attached") with (disk\$1 or storage)) or (((network adj1 attached) or "network-attached") with (secure adj1 (disk\$1 or storage)))) and (restrict\$3 with access\$3)) and "user id"	US-PGPUB; USPAT	OR	OFF	2002/12/12 20:55
S10 5	2	"200056028".PN.	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 22:14
S10 6	18169	distributed with (server or (database\$1 or (data adj1 base\$1) or \$dbms or repositor\$3) or task\$1)	US-PGPUB; USPAT	OR	OFF	2003/06/26 15:49
S10 7	79	(distributed with (server or (database\$1 or (data adj1 base\$1) or \$dbms or repositor\$3) or task\$1)) and (distributed with (server or (database\$1 or (data adj1 base\$1) or \$dbms or repositor\$3) or task\$1)) with (restrict\$3)	US-PGPUB; USPAT	OR	OFF	2003/06/26 15:51
S10 8	19	((distributed with (server or (database\$1 or (data adj1 base\$1) or \$dbms or repositor\$3) or task\$1)) and (distributed with (server or (database\$1 or (data adj1 base\$1) or \$dbms or repositor\$3) or task\$1)) with (restrict\$3)) and (distributed with (server or (database\$1 or (data adj1 base\$1) or \$dbms or repositor\$3) or task\$1)) with (restrict\$3 with access\$3)	US-PGPUB; USPAT	OR	OFF	2003/06/26 16:18
S10 9	3	((distributed with (server or (database\$1 or (data adj1 base\$1) or \$dbms or repositor\$3) or task\$1)) and (distributed with (server or (database\$1 or (data adj1 base\$1) or \$dbms or repositor\$3) or task\$1)) with (restrict\$3)) and (distributed with (server or (database\$1 or (data adj1 base\$1) or \$dbms or repositor\$3) or task\$1)) with ((permission or permit\$4) with access\$3)	US-PGPUB; USPAT	OR	OFF	2003/06/26 16:23
S11 0	4626	distributed\$3 with ((permission or permit\$4 or control\$4 or restrict\$3) with access\$3)	US-PGPUB; USPAT	OR	OFF	2003/06/26 16:28

S11 1	92	((distribut\$3 with ((permission or permit\$4 or control\$4 or restrict\$3) with access\$3)) and (server\$1 with (pass\$3 or offload\$3 or (off adj load\$3)) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number))))	US-PGPUB; USPAT	OR	OFF	2003/06/26 16:51
S11 2	61	((distribut\$3 with ((permission or permit\$4 or control\$4 or restrict\$3) with access\$3)) and (server\$1 with (pass\$3 or offload\$3 or (off adj load\$3)) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))) and (server\$1 with (pass\$3 or offload\$3 or (off adj load\$3)) with request\$1)	US-PGPUB; USPAT	OR	OFF	2003/06/26 16:53
S11 3	1	"6058394".pn.	US-PGPUB; USPAT	OR	OFF	2003/06/26 22:05
S11 4	0	"6058394".pn. and (access adj control adj list\$1)	US-PGPUB; USPAT	OR	OFF	2003/06/26 22:06
S11 5	0	"6058394".pn. and (acl)	US-PGPUB; USPAT	OR	OFF	2003/06/26 22:06
S11 6	0	"6058394".pn. and (access with list\$1)	US-PGPUB; USPAT	OR	OFF	2003/06/26 22:06
S11 7	0	"6058394".pn. and (access with area\$1)	US-PGPUB; USPAT	OR	OFF	2003/06/26 22:06
S11 8	2	"200056028".PN.	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 22:14
S11 9	1	"200056028".PN. and (secure adj network)	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 22:15
S12 0	0	("200056028".PN. and (secure adj network)) and access with control	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 22:22
S12 1	1114	access adj control adj list\$1	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 22:23
S12 2	1002	(access adj control adj list\$1) and (read or write or execut\$4)	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 22:36
S12 3	349	((access adj control adj list\$1) and (read or write or execut\$4)) and (restric\$3 with access)	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 22:36
S12 4	0	((access adj control adj list\$1) and (read or write or execut\$4)) and (restric\$3 with access)) and (violat with access)	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 22:33

S12 5	16	((access adj control adj list\$1) and (read or write or execut\$4)) and (restric\$3 with access)) and (violat\$4 with access)	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 22:36
S12 6	5	((((access adj control adj list\$1) and (read or write or execut\$4)) and (restric\$3 with access)) and (violat\$4 with access)) and terminat\$3	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 22:37
S12 7	580	(access adj control adj list\$1) and (read and write and execut\$4)	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 22:44
S12 8	251	((access adj control adj list\$1) and (read and write and execut\$4)) and (restric\$3 with access)	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 22:36
S12 9	5	((((access adj control adj list\$1) and (read and write and execut\$4)) and (restric\$3 with access)) and (violat\$4 with access)) and (terminat\$3 or abort\$3)	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 22:44
S13 0	67902	(access or accessible) with area\$1	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 22:42
S13 1	596	((access or accessible) with area\$1) and (list\$1 with (access or accessible) with area\$1)	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 22:43
S13 2	499	((access or accessible) with area\$1) and (list\$1 with (access or accessible) with area\$1)) and (access with permit\$4 or permission or allow\$4)	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 22:44
S13 3	183	((((access or accessible) with area\$1) and (list\$1 with (access or accessible) with area\$1)) and (access with permit\$4 or permission or allow\$4)) and (read and write and execut\$4)	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 22:44
S13 4	115	(((((access or accessible) with area\$1) and (list\$1 with (access or accessible) with area\$1)) and (access with permit\$4 or permission or allow\$4)) and (read and write and execut\$4)) and (terminat\$3 or abort\$3)	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 22:44
S13 5	6	((((((access or accessible) with area\$1) and (list\$1 with (access or accessible) with area\$1)) and (access with permit\$4 or permission or allow\$4)) and (read and write and execut\$4)) and (terminat\$3 or abort\$3)) and (violat\$4 with access)	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 22:45

S13 6	14	((access adj control adj list\$1) and (read and write and execut\$4)) and (restrict\$3 with access)) and (violat\$4 with access)	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 23:58
S13 7	2	"5911143".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 23:58
S13 8	0	"5911143".pn. and (id with request)	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 23:59
S13 9	0	"5911143".pn. and (id with request\$1)	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/26 23:59
S14 0	1	"5257367".pn.	US-PGPUB; USPAT	OR	OFF	2003/12/11 15:52
S14 1	357450	network	US-PGPUB; USPAT	OR	OFF	2003/12/15 17:31
S14 2	5357	network and (function near2 request\$3)	US-PGPUB; USPAT	OR	OFF	2003/12/15 17:05
S14 3	4940	(network and (function near2 request\$3)) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1))	US-PGPUB; USPAT	OR	OFF	2003/12/15 17:33
S14 4	2334	((network and (function near2 request\$3)) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1))) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))	US-PGPUB; USPAT	OR	OFF	2003/12/15 19:21
S14 5	1970	((network and (function near2 request\$3)) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1))) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))) and ((execut\$3 or run or running) with (application\$1 or function\$1 or program\$4 or procedure\$1))	US-PGPUB; USPAT	OR	OFF	2003/12/15 17:39
S14 6	4	"L6" and ((restrict\$3 with access\$3) with data)	US-PGPUB; USPAT	OR	OFF	2003/12/15 17:31
S14 7	39	"L6" and (restrict\$3 with access\$3)	US-PGPUB; USPAT	OR	OFF	2003/12/15 19:21
S14 8	2020	network and ((restrict\$3 with access\$3) with data)	US-PGPUB; USPAT	OR	OFF	2003/12/15 18:53

S14 9	1233	((network and ((restrict\$3 with access\$3) with data)) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number))))	US-PGPUB; USPAT	OR	OFF	2003/12/15 19:15
S15 0	1031	((network and ((restrict\$3 with access\$3) with data)) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with request\$3)	US-PGPUB; USPAT	OR	OFF	2003/12/15 19:02
S15 1	167	((network and ((restrict\$3 with access\$3) with data)) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with request\$3)) and "707"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/15 18:54
S15 2	62	((network and ((restrict\$3 with access\$3) with data)) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with request\$3)) and "707"/\$.ccls.) and @ad<"19990625"	US-PGPUB; USPAT	OR	OFF	2003/12/15 19:29
S15 3	54	((network and ((restrict\$3 with access\$3) with data)) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with request\$3)) and "707"/\$.ccls.) and @ad<"19990625") and ((select\$3 or execut\$3 or run or running) with (application\$1 or function\$1 or program\$4 or procedure\$1))	US-PGPUB; USPAT	OR	OFF	2003/12/15 17:41

S15 4	22	(((((network and ((restrict\$3 with access\$3) with data)) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with request\$3)) and "707"/\$.ccls.) and @ad<"19990625") and ((select\$3 or execut\$3 or run or running) with (application\$1 or function\$1 or program\$4 or procedure\$1))) and (parameter\$1 with (application\$1 or function\$1 or program\$4 or procedure\$1)))	US-PGPUB; USPAT	OR	OFF	2003/12/15 21:52
S15 5	59003	select\$3 near2 function\$1	US-PGPUB; USPAT	OR	OFF	2003/12/15 18:52
S15 6	6680	((select\$3 near2 function\$1) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number))))	US-PGPUB; USPAT	OR	OFF	2003/12/15 18:52
S15 7	179	((select\$3 near2 function\$1) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))) and ((restrict\$3 with access\$3) with data)	US-PGPUB; USPAT	OR	OFF	2003/12/15 18:53
S15 8	74	((select\$3 near2 function\$1) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))) and ((restrict\$3 with access\$3) with data)) and @ad<"19990625"	US-PGPUB; USPAT	OR	OFF	2003/12/15 18:54
S15 9	5	((select\$3 near2 function\$1) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))) and ((restrict\$3 with access\$3) with data)) and @ad<"19990625") and "707"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/15 19:30

S16 0	5	(((((select\$3 near2 function\$1) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))) and ((restrict\$3 with access\$3) with data)) and @ad<"19990625") and "707"/\$.ccls.) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with request\$3)	US-PGPUB; USPAT	OR	OFF	2003/12/15 19:13
S16 1	13283	client near2 request\$1	US-PGPUB; USPAT	OR	OFF	2003/12/15 19:14
S16 2	7560	(client near2 request\$1) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))	US-PGPUB; USPAT	OR	OFF	2003/12/15 19:15
S16 3	56	"L23" and (execut\$3 with function\$1)	US-PGPUB; USPAT	OR	OFF	2003/12/15 19:16
S16 4	10	("L23" and (execut\$3 with function\$1)) and (function\$1 with parameter\$1)	US-PGPUB; USPAT	OR	OFF	2003/12/15 19:16
S16 5	8	((("L23" and (execut\$3 with function\$1)) and (function\$1 with parameter\$1)) and access\$3	US-PGPUB; USPAT	OR	OFF	2003/12/15 19:17
S16 6	2	((("L23" and (execut\$3 with function\$1)) and (function\$1 with parameter\$1)) and restrict\$3	US-PGPUB; USPAT	OR	OFF	2003/12/15 19:20
S16 7	25005	access adj control	US-PGPUB; USPAT	OR	OFF	2003/12/15 19:20
S16 8	1228	(access adj control) and SQL	US-PGPUB; USPAT	OR	OFF	2003/12/15 19:20
S16 9	381	((access adj control) and SQL) and (restrict\$3 with access\$3)	US-PGPUB; USPAT	OR	OFF	2003/12/15 19:21
S17 0	331	((((access adj control) and SQL) and (restrict\$3 with access\$3)) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))	US-PGPUB; USPAT	OR	OFF	2003/12/15 19:21

S17 1	46	(((((access adj control) and SQL) and (restrict\$3 with access\$3)) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))) and @ad<"19990625"	US-PGPUB; USPAT	OR	OFF	2003/12/15 19:29
S17 2	17	(((((access adj control) and SQL) and (restrict\$3 with access\$3)) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))) and @ad<"19990625") and "707"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/15 19:30
S17 3	1	"6226745".pn.	US-PGPUB; USPAT	OR	OFF	2003/12/15 20:35
S17 4	1	"6226745".pn. and network	US-PGPUB; USPAT	OR	OFF	2003/12/15 20:35
S17 5	1	"6226745".pn. and (data with (storage or storing or stored))	US-PGPUB; USPAT	OR	OFF	2003/12/15 20:53
S17 6	1	"6226745".pn. and (disk)	US-PGPUB; USPAT	OR	OFF	2003/12/15 20:56
S17 7	1	"6226745".pn. and (disk with data)	US-PGPUB; USPAT	OR	OFF	2003/12/15 21:00
S17 8	1	"6226745".pn. and (database with stor\$3)	US-PGPUB; USPAT	OR	OFF	2003/12/15 21:03
S17 9	1	"6226745".pn. and (request\$1)	US-PGPUB; USPAT	OR	OFF	2003/12/15 21:06
S18 0	1	"6226745".pn. and (id)	US-PGPUB; USPAT	OR	OFF	2003/12/15 21:07
S18 1	1	"6226745".pn. and (query or queries)	US-PGPUB; USPAT	OR	OFF	2003/12/15 21:10
S18 2	1	"6226745".pn. and ((query or queries) with select\$3)	US-PGPUB; USPAT	OR	OFF	2003/12/15 21:12
S18 3	1	"6226745".pn. and (execut\$3 with (query or queries))	US-PGPUB; USPAT	OR	OFF	2003/12/15 21:19
S18 4	1	"6226745".pn. and (based with user)	US-PGPUB; USPAT	OR	OFF	2003/12/15 21:20
S18 5	1	"6226745".pn. and (identif\$3 with user\$1)	US-PGPUB; USPAT	OR	OFF	2003/12/15 21:22
S18 6	1	"6226745".pn. and (id)	US-PGPUB; USPAT	OR	OFF	2003/12/15 21:22
S18 7	1	"6487552".pn.	US-PGPUB; USPAT	OR	OFF	2003/12/15 21:31

S18 8	1	"6487552".pn. and disk	US-PGPUB; USPAT	OR	OFF	2003/12/15 21:31
S18 9	1	"6487552".pn.	US-PGPUB; USPAT	OR	OFF	2003/12/15 21:53
S19 0	1	"6487552".pn. and (based with user)	US-PGPUB; USPAT	OR	OFF	2003/12/15 21:53
S19 1	0	"6226745".pn. and (user adj id)	US-PGPUB; USPAT	OR	OFF	2004/01/05 16:24
S19 2	0	"6226745".pn. and (client adj id)	US-PGPUB; USPAT	OR	OFF	2004/01/05 16:24
S19 3	1	"6226745".pn.	US-PGPUB; USPAT	OR	OFF	2004/01/05 16:25
S19 4	1	"6625691".pn.	US-PGPUB; USPAT	OR	OFF	2004/01/05 22:43
S19 5	1	"6378039".pn.	US-PGPUB; USPAT	OR	OFF	2004/01/05 22:44
S19 6	1	"6487552".pn.	US-PGPUB; USPAT	OR	OFF	2004/06/22 01:31
S19 7	1	"6487552".pn. and function\$1	US-PGPUB; USPAT	OR	OFF	2004/06/22 01:37
S19 8	0	"6487552".pn. and (request\$3 with function\$1)	US-PGPUB; USPAT	OR	OFF	2004/06/22 01:37
S19 9	1	"6487552".pn. and (user\$1 with function\$1)	US-PGPUB; USPAT	OR	OFF	2004/06/22 01:37